






novus® Tetra-Support-System




961+08**




961+01**




961+0109+004




911+**89




961+03**




961+05**



961+04**




961+18**



961+23**





961+25**




max. kg ?




 max. kg ?		963+011*+000	962+011*+000	964+011*+000	965+011*+000	965+011*+00*	965+011*+003	965+011*+004	965+0119+004
		TSS-Support-Carriage	TSS-Support Arm	TSS-Folding Arm II	TSS-Folding Arm III	TSS-Folding Arm III XL 700	TSS-Folding Arm III XL 800	TSS-Folding Arm III XL 900	TSS-Folding Arm III XL 900
961+06**	Novus TSS 445 SZ1 Novus TSS 545 SZ1 (Systemzwinge 1)	15 kg	15 kg	14 kg	12,5 kg	9 kg	7,5 kg	6,5 kg	6,5 kg
961+02**	Novus TSS 445 SZ2 Novus TSS 545 SZ2 (Systemzwinge 2)	15 kg	15 kg	11 kg	10 kg	7 kg	6 kg	5 kg	5 kg
961+01**	Novus TSS xxx B (Bohrschraubbefestigung)	15 kg	15 kg	15 kg	15 kg	15 kg	15 kg	14,5 kg	14,5 Kg
961+04**	Novus TSS xxx K (Kabellochbefestigung)	15 kg	15 kg	15 kg	15 kg	13,5 kg	11,5 kg	10,5 kg	10,5 Kg
961+08**	Novus TSS xxx D (Deckenbefestigung)	15 kg	15 kg	15 kg	14,5 kg	10 kg	9 kg	7,5 kg	7,5 Kg
961+05**	Novus TSS xxx WS (Wandschienenbefestigung)	15 kg	15 kg	15 kg	14,5 kg	10 kg	9 kg	7,5 kg	7,5 Kg
961+03**	Novus TSS 445 SF (Standfuß)	10 kg	-	-	-	-	-	-	-




961+01**




1.




2.




3.








4.







961+01**

**1.****2.****3.****4.**


novus® Tetra-Support-System




961+23**




1.




2.




4.






5.




3.









961+04**




1.





2.




3.







1.




2.



3.




4.




novus® Tetra-Support-System




961+25**




1.




2.









3.



4.







Headquarters:

Novus Dahle GmbH
Breslauer Straße 34-38
49808 Lingen (Ems)
Germany

Service contact:

Novus Dahle GmbH
Hessenweg 53
49811 Lingen (Ems)
Germany
Tel. +49 (0) 591 9140-457
Fax +49 (0) 591 9140-841
E-Mail: info@novus-dahle.com
Web: www.novus-dahle.com

© Copyright 2023 by Novus Dahle GmbH



www.novus-dahle.de